

TRIM

Entry state

		Left				Right				
ST	4	3	2	1		1	2	3	4	ST
		SL	SL	SL	A	SL	SL	SL		
DL		SL	SL	SL	B	SL	SL	SL		DL
		DL	DL	DL	C	DL	DL	DL		
					D					

Output status

		Left				Right				
ST	4	3	2	1		1	2	3	4	ST
		SL	AS	AS+	A	AS+	AS+	SL		
DL		SL	AS+	AS	B	AS+	AS+	AS		DL
		AS+	AS++	AS++	C	AS++	AS++	AS+		
					D					

The colored loops have been changed compared to the initial state.

brake lines

The left steering line was by 0 mm changed .

The right steering lines were by 0 mm changed .

LINE LENGTH- LEFT SIDE

A Lines			ST Lines			B Lines			C Lines			D Lines			BR Lines		
Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff
7950	7949	-1	7152	7140	-12	7877	7880	3	7981	7972	-9	8036	8039	3	8280	8307	27
7908	7909	1	7120	7115	-5	7833	7841	8	7933	7929	-4	7996	8001	5	7995	8026	31
7883	7886	3	7149	7148	-1	7805	7800	-5	7916	7915	-1	7971	7977	6	7838	7871	33
7907	7913	6	7058	7056	-2	7831	7825	-6	7900	7894	-6	7957	7962	5	7790	7826	36
7911	7916	5	7032	7033	1	7831	7825	-6	8000	7995	-5	8045	8050	5	7715	7692	-23
7831	7837	6	7085	7088	3	7753	7745	-8	7962	7961	-1	7991	7991	0	7548	7529	-19
7847	7852	5	7155	7157	2	7770	7765	-5	7859	7857	-2	7898	7902	4	7498	7475	-23
7784	7789	5	Average: -2.0		7716	7719	3	7863	7864	1	7902	7907	5	7526	7507	-19	
7795	7796	1	Tolerance: (-20, 10)		7731	7732	1	7810	7809	-1	7846	7848	2	7405	7388	-17	
7687	7693	6			7613	7621	8	7827	7823	-4	7862	7862	0	7258	7238	-20	
7600	7610	10			7529	7539	10	7702	7701	-1	Average: 4.0		7185	7166	-19		
7596	7597	1			7525	7534	9	7607	7607	0	Tolerance: (-10, 10)		7132	7111	-21		
7510	7517	7			7428	7429	1	7594	7590	-4	Average: -3.0						
7452	7441	-11			7377	7368	-9	7467	7469	2	Tolerance: (-5, 20)						
7474	7456	-18			7396	7390	-6	7406	7408	2							
Average: 2.0						Average: -0.0			7414 7410 -4								
Tolerance: (-10, 10)						Tolerance: (-10, 10)			Average: -2.0								
									Tolerance: (-10, 10)								

LINE LENGTH RIGHT SIDE

A Lines			ST Lines			B Lines			C Lines			D Lines			BR Lines		
Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff	Setpoint	Actual value	Diff
7950	7946	-4	7152	7154	2	7877	7870	-7	7981	7974	-7	8036	8043	7	8280	8320	40
7908	7908	0	7120	7117	-3	7833	7869	36	7933	7931	-2	7996	8005	9	7995	8042	47
7883	7882	-1	7149	7151	2	7805	7825	20	7916	7915	-1	7971	7983	12	7838	7879	41
7907	7907	0	7058	7060	2	7831	7791	-40	7900	7901	1	7957	7970	13	7790	7828	38
7911	7906	-5	7032	7038	6	7831	7820	-11	8000	8004	4	8045	8060	15	7715	7690	-25
7831	7831	0	7085	7087	2	7753	7749	-4	7962	7955	-7	7991	7995	4	7548	7531	-17
7847	7846	-1	7155	7153	-2	7770	7769	-1	7859	7853	-6	7898	7903	5	7498	7479	-19
7784	7782	-2	Average: 1.0		7716	7717	1	7863	7863	0	7902	7907	5	7526	7508	-18	
7795	7792	-3	Tolerance: (-20, 10)		7731	7729	-2	7810	7808	-2	7846	7850	4	7405	7383	-22	
7687	7689	2			7613	7614	1	7827	7821	-6	7862	7870	8	7258	7240	-18	
7600	7604	4			7529	7527	-2	7702	7701	-1	Average: 8.0		7185	7166	-19		
7596	7599	3			7525	7528	3	7607	7612	5	Tolerance: (-10, 10)		7132	7112	-20		
7510	7501	-9			7428	7426	-2	7594	7595	1				Average: 1.0			
7452	7440	-12			7377	7379	2	7467	7469	2				Tolerance: (-5, 20)			
7474	7471	-3			7396	7396	0	7406	7408	2							
Average: -2.0					Average: -0.0		7414	7412	-2								
Tolerance: (-10, 10)					Tolerance: (-10, 10)		Average: -1.0										
							Tolerance: (-10, 10)										